

IDENTIFICATION			
8.1 Product Name:	SHAMROCK BRUSH ON RUBBER LATEX		
8.2 Other Names:	Rubber Latex		
8.3 Manufacturer's Product Code:	1220		
UN Number:	not applicable		
Dangerous Goods Class:	not applicable		
Packaging Group:	N/A		
Subsidiary Risk:	N/A		
8.6 Hazchem Code:	N/A		
8.8 Poisons Schedule No.:	not scheduled		
8.10 Use:	Dipping, Moulding and general compounding		
Linked barcodes:	Barcode	Description	
Other:			
Physical Description		Other Properties	
8.16 Appearance:	White liquid with ammonia smell	8.23a Shock Sensitivity:	not available
8.17 Boiling Point/Melting Point:	Boiling point approx 100 degrees celcius, Melting point not applicable	8.23b Corrosiveness:	not corrosive
8.18 Vapour Pressure:	not available	8.23c Oxidising Properties:	not available
8.19 Specific Gravity:	0.95 (typical)	8.23d Reactivity with Common Substances:	Contamination with extremely low concentrations of copper, manganese, brass and zinc will cause rapid ageing.
8.20 Flash Point:	not available	8.23e Auto-Ignition Temperature:	not available
8.21 Flammability Limits:	Non flam-Product residue	8.23f Evaporation Rate:	not available
8.23 Solubility in Water:	Soluble in all proportions	8.23g Vapour Density:	1.0 @ 4 degrees celcius
Other:	following evaporation of liquid content will burn in the presence of an ignition source	8.23h Odour Threshold:	Ammoniacal
		8.23i pH:	Typically 9.0-10.0
		8.23j Solubility in Organic Solvents:	solubility in water: soluble in all proportions
		8.23k Per Cent Volatiles:	not available
		8.23l Volatile Organic Compounds:	water
		8.23m Bulk Density:	not available
		Other:	
Ingredients	8.27 Chemical Name	8.28 CAS No.	8.29 Proportion
	Natural Rubber Latex		30-60%
	Water	7732-18-5	30-60%
	Additives n.o.s.		2-5%
	Ammonia	7664-41-7	0-2%
9 HEALTH HAZARD INFORMATION		10 PRECAUTIONS FOR USE	
9.2 Health Effects	10.4 Exposure Standards:	this product contains ammonia. the product(wet) odour may cause discomfort under the influence of elevated temperatures or in confined areas. worksafe TWA 25p.pm. STEL 35p.pm.	
Acute	10.10 Engineering	use in a well ventilated area only. keep containers in a well ventilated	

		Controls:	area. must be sufficient to prevent breathing of vapour. local exhaust ventilation system may be required.
Swallowed:	may cause gastric irritation	10.13 Personal Protection:	suitable respirator or safety glasses, goggles or faceshield as appropriate, PVC or rubber gloves and enclosed footwear, overalls or similiar protective apparel
Eye:	a mild eye irritant. may cause watering of eyes. may cause soreness	10.18 Flammability:	not flammable
Skin:	repeated or prolonged skin contact may lead to irritation	Other:	this product is stable when stored under normal storage conditions. store away from incompatible materials
Inhaled:	inhalation may be harmful. the vapour may be an irritant to the mucous membranes and respiratory tract	11 SAFE HANDLING INFORMATION	
Chronic	may cause allergic response	11.1 Storage and Transport:	store in a cool, dry place. store in original containers. transport in original containers. keep containers closed when not in use
9.30 First Aid		11.4 Spills and Disposal:	in the event of a large spill: contact supplier/manufacturer. isolate leaking containers and stop leak if safe to do so. contain- prevent contamination of drains and waterways. clean up using a shovel. collect and seal in properly labelled drums for disposal. normally suitable for disposal at approved land waste site. wash away residues with water.
Swallowed:	give plenty of water to drink. do not induce vomiting. seek medical attention	11.11 Fire/Explosion Hazard:	non flammable. low hazard heating can cause expansion or decomposition leading to violent rupture of containers. fire dried residues may spatter upon contact with water. keep containers cool with water spray
Eye:	immediately irrigate with copious quantity of water for at least 15 minutes. eyelids to be held open. seek medical attention	Other:	in the event of a small spill: scrape up, mop up and wash to drain with copious volumes of water. wipe up residue with a cloth. dispose of contaminated rags in a waste bin
Skin:	wash affected areas with copious quantities of water immediately. if irritation occurs seek medical advise. remove contaminated clothing and wash before re-use		
Inhaled:	remove victim from exposure. recovery should be rapid after removal from exposure. seek medical advise		
First Aid Facilities	ensure safety shower and eye wash station are readily available		
9.33 Advice to Doctor	treat symptomatically		
Other			
GENERAL			
General	SHAMROCK BRUSH ON RUBBER LATEX		
SUPPLIER			
Supplier	CSA Trading P/L		
Supplier Date	01/02/2012		
13 CONTACT POINT:			
13.1 Contact Title:	Mr Graham Ashburn		
13.1 Contact Phone:	03 9895 4333 Australian Eastern Standard Time 9.00 - 5.00		

13.1 Contact not applicable
Pager:

MSDS Supplied by: CSA Trading P/L on date: 01/02/2012

